

QUALITY ASSURANCE LABORATORY

SYN/QLC-024/E

Email : qchelpdesk@synthite.com

FSSAI: 10012041000103

CERTIFICATE OF ANALYSIS

[This test report shall not be reproduced except in full without the written approval of the lab. The results in this report relate to the items tested]

CUSTOMER	1010011639 SAGANLA		
MATERIAL	4410001306	DESCRIPTION	ELYSIAN BLOOM 157E
QUANTITY	2.000 KG	INVOICE NUMBER	5201513383
BATCH NUMBER	441J250255	TRADE NAME	
INSPECTION LOT NO	890000128925	CUST. MAT. CODE	ELYSIAN BLOOM 157E
MANUFACTURING DATE	27.10.2025	BEST BEFORE	27.10.2026
		PO REF No / DATE	EMAIL15/10/2025/15.10.2025

Remarks**PHYSICAL AND ANALYTICAL DATA**

SLNO	QUALITY PARAMETER	RESULT	TEST METHOD
	Organoleptic Characteristics		
1	Sensory Evaluation	Conforms	Sensory(QM/1011)
2	Appearance	Liquid	Sensory(QM/1011)
3	Colour-Visual	Pale yellow to golden yellow liquid	General Inspection plan
	Chemical Characteristics		
1	Ge Profile	Conforms	Gas Chromatography

Approval Date : 30.10.2025

The result of batch no : 441J250255 corresponds to the sample submitted to the lab.

Prepared by : Mahesh

Approved by : Krishnakumar K R