

QUALITY ASSURANCE LABORATORY

SYN/QLC-024/E

Email : qchelpdesk@synthite.com

FSSAI: 10012041000103

CERTIFICATE OF ANALYSIS

[This test report shall not be reproduced except in full without the written approval of the lab. The results in this report relate to the items tested]

CUSTOMER	1010011639 SAGANLA		
MATERIAL	4410001751	DESCRIPTION	NOIRENCHANTE 193B
QUANTITY	2.000 KG	INVOICE NUMBER	5201513378
BATCH NUMBER	441J250140	TRADE NAME	
INSPECTION LOT NO	890000127744	CUST. MAT. CODE	NOIR ENCHANTE 193B
MANUFACTURING DATE	17.10.2025	BEST BEFORE	17.10.2026
		PO REF No / DATE	EMAIL15/10/2025/15.10.2025


Remarks


PHYSICAL AND ANALYTICAL DATA

SLNO	QUALITY PARAMETER	RESULT	TEST METHOD
	Organoleptic Characteristics		
1	Sensory Evaluation	Conforms	Sensory(QM/1011)
2	Appearance	Liquid	Sensory(QM/1011)
3	Colour-Visual	Pale yellow to greenish yellow liquid	General Inspection plan
	Chemical Characteristics		
1	Gc Profile	Conforms	Gas Chromatography

Approval Date : 21.10.2025

The result of batch no : 441J250140 corresponds to the sample submitted to the lab.


Prepared by : Mahesh


Approved by : Krishnakumar K R