

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

101 Identification of the substance/mixture and of the company/undertaking

1. Product identifier
 - Trade name:
Bright Magnificence - BA Select
2. Relevant identified uses of the substance or mixture and uses advised against
 - Application of the substance / the preparation
Aromatic ingredient(s). Industrial use only.
 - Uses advised against
not applicable
3. Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:
ROBERTET 37 avenue Sidi-Brahim
BP 52100 F-06131 GRASSE CEDEX
Tel: +33 (0)4 93 40 33 66 (during normal opening times 8h-18h)
Fax: +33 (0)4 93 70 68 09 legis@robertet.com
 - Further information obtainable from:
ORFILA (INRS)
4. Emergency telephone number:
ORFILA (INRS): + 33 (0)1 45 42 59 59 Poison Control and Toxicovigilance Centers ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0800 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37, TOULOUSE: 05 61 77 74 47

02 Hazards identification

1. Classification of the substance or mixture



Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.

< I >GHS07

xz

Skin Irrit. 2 - H315 Causes skin irritation.

Serious eye damage/irritation - Category 2A - H319 Causes serious eye irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



Aquatic Acute 1 - H400 Very toxic to aquatic life.

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects. H227 Combustible liquid.

Acute Tox. 5 - H333 May be harmful if inhaled.

- Additional information:
Full text of H statements: see section 16

2. Label elements • GHS label elements

Hazard pictograms



GHS08 GHS07 GHS09

(continued on page 2)

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604

Revision: 17.10.2025

Printing date: 20.10.2025

PRODUCT : BRIGHT MAGNIFICENCE - BA SELECT

(continued of page 1) Signal

word
Danger

Hazard-determining components of labelling:
d-limonene ((R)-p-mentha-1,8-diene) / 3,7-Dimethylocta-1,6-dien-3-ol / Citral / Allyl hexanoate (Allyl caproate)

Hazard statements
H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H333 May be harmful if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P331 Do NOT induce vomiting.
P403 Store in a well-ventilated place.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

103 Composition/information on ingredients

• Chemical characterization

Dangerous components: CAS Number

		%
5989-27-5	d-limonene ((R)-p-mentha-1,8-diene) EC number: 227-813-5 Asp. Tox. 1 - H304; Flam. Liq. 3 -H226; SkinIrrit. 2-H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400; Aquatic Chronic 3 - H412	30,00- 40,00
18479-58-8	Dihydromyrcenol (2,6-Dimethyloct-7-en-2-ol) EC number: 242-362-4 Skin Irrit. 2 - H315, Serious eye damage/irritation - Category 2A - H319, STOT SE 3 - H336; H227, Acute Tox. 5 - H303, Aquatic Acute 3 - H402	5,00-10,00
78-70-6	3,7-Dimethylocta-1,6-dien-3-ol EC number: 201-134-4 Skin Irrit. 2 - H315, Serious eye damage/irritation - Category 2A - H319, Skin Sens. 1B - H317; H227, Acute Tox. 5 - H303, Aquatic Acute 3 - H402	5,00-10,00
5392-40-5	Citral EC number: 226-394-6 Skin Irrit. 2 - H315, Serious eye damage/irritation - Category 2A - H319, Skin Sens. 1 - H317; Aquatic Acute 2 - H401	5,00-10,00
112-31-2	Decanal EC number: 203-957-4 Serious eye damage/irritation - Category 2A - H319; H227, Acute Tox. 5 -	5,00-10,00

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

PRODUCT: BRIGHT MAGNIFICENCE - BA SELECT		
		(continued of page 2)
20298-69-5	H303, H316, Aquatic Acute 2 - H401, Aquatic Chronic 3 - H412 cis-2-tert-Butylcyclohexyl acetate EC number: 243-718-1 Acute Tox. 5 - H303, H316; Aquatic Chronic 2 - H411; Aquatic Acute 2 - H401 Dipropylene glycol monomethyl ether	1,00- 5,00
34590-94-8	EC number: 252-104-2 H227 Butylated hydroxytoluene	1,00- 5,00
128-37-0	EC number: 204-881-4 Aquatic Acute 1 - H400, Aquatic Chronic 1 -H410	1,00- 5,00
8007-35-0	Reaction mass of 1-methyl-4-(1-methylethylidene) cyclohexyl acetate and p- menth-1-en-8- yl acetate EC number: 904-693-9 H316, Aquatic Acute 2 - H401 Octanal	1,00- 5,00
124-13-0	EC number: 204-683-8 Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Serious eye damage/irritation - Category 2A - H319; Acute Tox. 5 - H303, Aquatic Acute 2 - H401, Aquatic Chronic 3 - H412 Citronellal	1,00- 5,00
106-23-0	EC number: 203-376-6 Skin Irrit. 2 - H315, Serious eye damage/irritation - Category 2A - H319, Skin	1,00- 5,00
106-22-9	Sens. 1B - H317; H227, Acute Tox. 5 - H303, Acute Tox. 5 - H313, Aquatic Acute 2 - H401 dl-Citronellol EC number: 203-375-0 Skin Irrit. 2 - H315, Serious eye damage/irritation - Category 2A - H319, Skin	1,00- 5,00
124-19-6	Sens. 1B - H317; Acute Tox. 5 - H303, Acute Tox. 5 - H313, Aquatic Acute 2 - H401 Nonanal (Aldehyde C9) EC number: 204-688-5 H227, H316, Aquatic Acute 2 - H401, Aquatic Chronic 3 - H412 10-Undecenal	1,00- 5,00
112-45-8	EC number: 203-973-1 Skin Irrit. 2-H315; H227; Aquatic Chronic 2 - H411; Aquatic Acute 2 - H401 Myrcene	1,00- 5,00
123-35-3		0,10-1,00

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

EC number: 204-622-5
Asp. Tox. 1 - H304; Flam. Liq. 3

- H226; Skin Irrit. 2 - H315, Serious eye damage/irritation - Category
2A - H319;

(continued on page 4)

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

PRODUCT: BRIGHT MAGNIFICENCE - BA SELECT		
		(continued of page 3)
110-41-8	Aquatic Acute 1 - H400, Aquatic Chronic 2-H411 2-Methyl undecanal EC number: 203-765-0 Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 2-H411; H227	0,10-1,00
80-56-8	2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Geraniol	0,10-1,00
106-24-1	EC number: 203-377-1 Eye Dam. 1 - H318; Skin Irrit. 2 - H315, Skin Sens. 1 - H317; Acute Tox. 5 - H303, Aquatic Acute 3 - H402	0,10-1,00
7785-26-4	l-alpha-Pinene EC number: 232-077-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,10-1,00
123-68-2	Allyl hexanoate (Allyl caproate) EC number: 204-642-4 Acute Tox. 3 - H301, Acute Tox. 3 - H311, Acute Tox. 3 - H331; Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411; H227 gamma-Terpinene	0,10-1,00
99-85-4	EC number: 202-794-6 Repr. 2 Flam. Liq. 3 - H226; Repr. 2 - H361; Acute Tox. 5 - H303; Aquatic Chronic 2 - H411; Aquatic Acute 2 - H401 l-beta-Pinene	0,10-1,00
18172-67-3	EC number: 242-060-2 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,10-1,00
99-49-0	Carvone EC number: 202-759-5 Skin Sens. 1B - H317; H227, Acute Tox. 5 - H303, Acute Tox. 5 - H313, Aquatic Acute 2 - H401	0,10-1,00
		(continued on page 5)

SAFETY DATA SHEET

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

PRODUCT: BRIGHT MAGNIFICENCE - BA SELECT		
22629-49-8	T ridecene-2-nitrile	(continued of page 4) 0,001-0,10
	EC number: 919-489-5	
	Skin Sens. 1B - H317; Aquatic	
	Acute 1 - H400, Aquatic Chronic 1 - H410; H316	

04 First aid measures

- Description of first aid measures
 - General information:
Seek immediate medical advice.
 - After inhalation:
Supply fresh air; consult doctor in case of complaints.
 - After skin contact:
Immediately wash with water and soap and rinse thoroughly.
 - After eye contact:
Rinse opened eye for several minutes under running water.
 - After swallowing:
If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

105 Firefighting measures

- Extinguishing media
 - Suitable extinguishing agents:
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - For safety reasons unsuitable extinguishing agents:
Non applicable
- Special hazards arising from the substance or mixture
No further relevant information available.
- Advice for firefighters
No specific advice

06 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 - For non-emergency personnel
Wear protective equipment. Keep unprotected persons away.
 - For emergency responders
Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Reference to other sections
See Section 13 for disposal information.

Version number: 88527604

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Revision: 17.10.2025
Printing date: 20.10.2025

PRODUCT : BRIGHT MAGNIFICENCE - BA SELECT

(continued of page 5)

07 Handling and storage

1. Precautions for safe handling
 - Avoid contact with skin and eyes Wear appropriate protective equipments (gloves, glasses ...)
 - Information about fire - and explosion protection:
 - Keep ignition sources away - Do not smoke.
2. Conditions for safe storage, including any incompatibilities
 - Requirements to be met by storerooms and receptacles:
 - Avoid exposure to extreme temperatures. Avoid prolonged contact with certain plastic materials (PVC..)
 - Further information about storage conditions:
 - Protect from heat and direct sunlight.
3. Specific end use(s)
 - No further relevant information available.

08 Exposure controls/personal protection

1. Control parameters
 - Ingredients with limit values that require monitoring at the workplace: 34590-94-8 Dipropylene glycol monomethyl ether
- IOELV
- | | | |
|-----------------|-----|-------|
| Long-term value | 308 | |
| | 50 | mg/m3 |
| Skin | | ppm |
- Ingredients with biological limit values: No further relevant information available.
2. Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:
 - Avoid contact with the eyes and skin.
 - Respiratory protection:
 - Use suitable respiratory protective device in case of insufficient ventilation.
 - Protection of hands:
 - Only use chemical-protective gloves with CE-labelling of category III.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Penetration time of glove material
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - Eye protection:
 - Safety glasses
 - Body protection:
 - Protective work clothing
 - Limitation and supervision of exposure into the environment No further relevant information available.

109 Physical and chemical properties

General Information	Fluid
Physical state Appearance: Form:	Fluid
Odour: pH-value:	Characteristic Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	> 35 °C

(continued on page 7)

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025

PRODUCT : BRIGHT MAGNIFICENCE - BA SELECT

(continued of page 6)

Flash point:	>= 61 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature: Decomposition temperature:	Undetermined. Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapour pressure:	Not determined.
Density: Relative density Vapour density	Not determined.
Evaporation rate	0,8750- 0,9050 (20°C) Not determined. Not determined.
Solubility in / Miscibility with water:	Not determined.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Particle characteristics	Not determined.
Other information Additional information	No further relevant information available. Not applicable.

Surface tension: Not determined.

10 Stability and reactivity

1. Reactivity
No further relevant information available.
2. Chemical stability
Good stability at conditions of use mentionned in point 7 and 10
3. Possibility of hazardous reactions
Reacts with strong oxidising agents.
4. Conditions to avoid
Avoid temperatures near the flash point (see Section 9). Avoid contact with oxidizing agents.
5. Incompatible materials:
No further relevant information available.
6. Hazardous decomposition products:
No dangerous decomposition products known.

11 Toxicological information

1. Information on toxicological effects
 - Acute toxicity May be harmful if inhaled.

LD/LC50 values relevant for classification:
BRIGHT MAGNIFICENCE - BA SELECT
Oral, LD50 ETA UN: 9777,94 mg/kg
Dermal, LD50 ETA UN: 69410,70 mg/kg
Inhalative, LC50/lh: 800,00 mg/l

(continued on page 8)

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

PRODUCT : BRIGHT MAGNIFICENCE - BA SELECT

(continued of page 7)

- Skin corrosion / irritation
Causes skin irritation.
- Serious eye damage / irritation
Causes serious eye irritation.
- Respiratory / skin sensitization
May cause an allergic skin reaction.
- Germ cell mutagenicity
Based on available data, the classification criteria are not met.
- Carcinogenicity
Based on available data, the classification criteria are not met.
- Reproductive toxicity
Based on available data, the classification criteria are not met.
- STOT single exposure
Based on available data, the classification criteria are not met.
- STOT repeated exposure
Based on available data, the classification criteria are not met.
- Aspiration hazard
May be fatal if swallowed and enters airways.
- Aspiration hazard
May be fatal if swallowed and enters airways.
- Other information
No further relevant information available.

12 Ecological Information

1. Toxicity
 - Aquatic toxicity:
Very toxic to aquatic life.
2. Persistence and degradability
Toxic to aquatic life with long lasting effects.
- Behaviour in environmental systems:
3. Bioaccumulative potential
Not available
4. Mobility in soil
Not available
5. Other adverse effects
No further relevant information available.

13 Disposal considerations

1. Waste treatment methods
 - Recommendation
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
 - Recommendation:
Disposal must be made according to official regulations.

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Version number: 88527604
Revision: 17.10.2025
Printing date: 20.10.2025

PRODUCT : BRIGHT MAGNIFICENCE - BA SELECT

(continued of page 8)

14 Transport information

1. UN-Number.ADR

UN3082

IMDG

UN3082

IATA

UN3082

2. UN proper shipping name
ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(PERFUMERY PRODUCTS)

.IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(PERFUMERY PRODUCTS)

.IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(PERFUMERY PRODUCTS)

3. Transport hazard class(es)
ADR

. Class

9 (M6) Miscellaneous dangerous substances and articles.

. Label



.IMDG

. Class

9 Miscellaneous dangerous substances and articles.

. Label



.IATA.

Class

9 Miscellaneous dangerous substances and articles.

. Label



4. Packing group

ADR

III

.IMDG

III

.IATA

III

5. Environmental hazards:

. Marine pollutant:

Yes

6. Special precautions for user

Warning: Miscellaneous dangerous substances and articles. . Danger code (Kemler):

90

. EMS Number:

F-A.S-F

7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information: (continued on page 10)

Version number: 88527604

Revision: 17.10.2025

Printing date: 20.10.2025

PRODUCT : BRIGHT MAGNIFICENCE - BA SELECT	
<i>(continued of page 9)</i>	
. Excepted quantities (EQ):	E1
. Limited quantities (LQ)	5L
. Transport category	3
. IMDG	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	E1
• UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS), 9, III	

15 Regulatory information

- National regulations:
 - Waterhazard class:
Water hazard class 2 (Self-assessment): hazardous for water.
 - PFAS
None of the ingredients is listed.
2. Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226	Flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

2. Department issuing MS DS:
Legislation / Regulatory Affair Department

3. Abbreviations and acronyms:
ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-T1: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(continued on page 11)

Version number:

88527604

Revision: 17.10.2025

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

Printing date: 20.10.2025

www.Bulkaroma.com

According to Regulation ST/SG/AC. 10/30/UN GHS, Latest revision

PRODUCT:**BRIGHT MAGNIFICENCE - BA SELECT**

(continued of page 10)

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
SVHC: Substances of Very High Concern

4. Sources

RIFM Database
Suppliers Information
REACH registration dossier IFRA/IOFI Labelling Manual

* Data compared to the previous version altered.