

Safety data sheet

In compliance with Regulation (EC) No 2020/878

ALASKO 502536	
1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY	
1.1 Product Identifier Product Identifier/ No: UFI:	ALASKO 502536 5TH5-X0WV-3002-F18F
1.2 Relevant identified uses of the mixture and uses advised against:	Perfuming agent for finished consumer products. Not for personal use in this form or concentration.
1.3 Details of the supplier of the safety data sheet:	LUZI AG Riedwiesenstrasse 5 8305 Dietlikon, Switzerland Phone: +41 44 835 76 76 E-Mail: regulatory.switzerland@luzi.com
1.4 Emergency telephone number:	+41 76 315 31 83 Emergency consultation (DE/EN) during office hours Monday to Friday 08:00 - 17:00 (UTC+1)
2. HAZARD IDENTIFICATION	
2.1 Classification of the substance or mixture	
2.1.1 Classification according to Regulation (EC) No 1272/2008:	
 GHS07 Irritation, sensitisation Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Eye Irrit. 2 H319 Causes serious eye irritation.  GHS08 Health hazard Repr. 2 H361 Suspected of damaging fertility or the unborn child.	

ALASKO 502536



GHS09 Hazards to the aquatic environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

2.2.1 Hazard pictograms:



2.2.2 Signal word

Warning

2.2.3 Hazard statements:

H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.
 H361: Suspected of damaging fertility or the unborn child.
 H411: Toxic to aquatic life with long lasting effects.

2.2.4 Precautionary statements

General:

P101 If medical advice is needed, have product container or label at hand.
 P103 Read label before use.

Prevention:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
 P264 Wash hands thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves / protective clothing / eye protection / face protection.

Response in cases of accidental spillage or exposure:

P302+P352 IF ON SKIN: Wash with plenty of water and soap.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical advice / attention.

ALASKO 502536

P321 Specific treatment

P332+P313 If skin irritation occurs: Get medical advice / attention.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with official regulations.

Hazardous component(s) for labeling:

<u>CAS No:</u>	<u>Chemical name:</u>
1205-17-0	3-(1,3-Benzodioxol-5-yl)-2-methylpropanal
54464-57-2	1-(2,3,8,8-Tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)ethanone
10339-55-6	(6E)-3,7-Dimethylnona-1,6-dien-3-ol
5989-27-5	1-Methyl-4-prop-1-en-2-ylcyclohexene

EUH208: Contains an ingredient that may produce an allergic reaction:

<u>CAS No:</u>	<u>Chemical name:</u>
54464-57-2	1-(2,3,8,8-Tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)ethanone
10339-55-6	(6E)-3,7-Dimethylnona-1,6-dien-3-ol
1205-17-0	3-(1,3-Benzodioxol-5-yl)-2-methylpropanal
5989-27-5	1-Methyl-4-prop-1-en-2-ylcyclohexene
4707-47-5	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate
115-95-7	3,7-Dimethylocta-1,6-dien-3-yl acetate
78-70-6	3,7-Dimethyl-1,6-octadien-3-ol
127-91-3	7,7-Dimethyl-4-methylidenebicyclo[3.1.1]heptane
23696-85-7	1-(2,6,6-Trimethylcyclohexa-1,3-dien-1-yl)-2-buten-1-one
106-22-9	3,7-Dimethyl-6-octenol

2.3 Other Hazards

This mixture does not contain any PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative) substances according to Directive (EC) No 1907/2006.

This mixture does not contain endocrine disrupting substances according to Regulation (EU) 2017/2100.

Handling may cause static charge which may ignite the mixture

ALASKO 502536

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

Chemical characterisation Mixture of substances listed below with non-hazardous additions

CAS-/EINECS-No Not applicable

Quantity	CAS No EINECS No REACH No	Name	Comment	Classification (GHS)
10-25%	54464-57-2 259-174-3 01-2119489989-04	1-(2,3,8,8-Tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl) ethanone		 Aquatic Chronic 1; Skin Sens. 1B; Skin Irrit. 2; H410; H317; H315
10-25%	25265-71-8 246-770-3 01-2119456811-38	3-(3-Hydroxypropoxy)propan-1-ol		-
10-25%	10339-55-6 233-732-6 01-2119969272-32	(6E)-3,7-Dimethylnona-1,6-dien-3-ol		 Eye Irrit. 2; Skin Sens. 1B; H319; H317
5-10%	28645-51-4 249-120-7 01-2120103324-74	(9Z)-17-Oxacycloheptadec-9-en-1-one		 Aquatic Chronic 2; H411
5-10%	10461-98-0 423-740-1 01-0000017023-83	2-Cyclohexylidene-2-phenylacetonitrile		 Acute Tox. 4 oral; Aquatic Chronic 2; H302; H411
1-5%	1205-17-0 214-881-6 01-2120740119-58	3-(1,3-Benzodioxol-5-yl)-2-methylpropanal		 Skin Sens. 1B; Repr. 2; Aquatic Chronic 2; H317; H361; H411
1-5%	5989-27-5 227-813-5 -	1-Methyl-4-prop-1-en-2-ylcyclohexene		 Skin Irrit. 2; Flam. Liq. 3; Skin Sens. 1B; Asp. Tox. 1; Aquatic Chronic 3; Aquatic Acute 1; H315; H226; H317; H304; H412; H400
1-5%	4707-47-5 225-193-0 01-2120762759-36	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate		 Skin Sens. 1B; H317

ALASKO 502536				
1-5%	115-95-7 204-116-4 -	3,7-Dimethylocta-1,6-dien-3-yl acetate		 Skin Sens. 1B; Skin Irrit. 2; H317; H315
< 1%	57-55-6 200-338-0 01-2119456809-23	Propane-1,2-diol		-
< 1%	118-60-5 204-263-4 01-2119978235-29	2-Ethylhexyl 2-hydroxybenzoate		  Repr. 2; Aquatic Chronic 1; H361; H410
< 1%	78-70-6 201-134-4 -	3,7-Dimethyl-1,6-octadien-3-ol		 Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; H315; H317; H319
< 1%	127-91-3 204-872-5 -	7,7-Dimethyl-4- methylidenebicyclo[3.1.1]heptane		    Skin Irrit. 2; Flam. Liq. 3; Skin Sens. 1B; Asp. Tox. 1; Aquatic Chronic 1; Aquatic Acute 1; H315; H226; H317; H304; H410; H400
< 1%	99-85-4 202-794-6 -	1-Methyl-4-propan-2-ylcyclohexa- 1,4-diene		   Flam. Liq. 3; Repr. 2; Asp. Tox. 1; Aquatic Chronic 2; H226; H361; H304; H411
< 1%	128-37-0 204-881-4 01-2119480433-40	2,6-Ditert-butyl-4-methylphenol		 Aquatic Acute 1; Aquatic Chronic 1; H400; H410
< 1%	23696-85-7 245-833-2 01-2120105798-49	1-(2,6,6-Trimethylcyclohexa-1,3- dien-1-yl)-2-buten-1-one		  Skin Irrit. 2; Aquatic Chronic 2; Acute Tox. 4 inh.; Skin Sens. 1A; H315; H411; H332; H317
< 1%	106-22-9 203-375-0 01-2119453995-23	3,7-Dimethyl-6-octenol		 Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; H315; H317; H319

4. FIRST AID MEASURES
4.1 Description of first aid measures
General advice: Seek medical advice and show this safety data sheet.

ALASKO 502536	
Inhalation:	Remove affected person to fresh air and if unconscious place in recovery position. Seek medical attention for safety reasons.
Skin Contact:	Wash with plenty of soap and water. Remove contaminated clothing and clean before reuse.
Eye Contact:	Immediately remove contact lenses and rinse eyes thoroughly under running water with eyelids open (15 minutes). Seek medical attention if signs of tissue damage or irritation persist.
Ingestion:	Keep airways clear, do not administer milk or alcoholic beverages. Never administer anything orally to an unconscious person. If symptoms persist, consult a physician.
4.2	Most important symptoms and effects, both acute and delayed
	No further relevant information available.
4.3	Indication of immediate medical attention and special treatment needed
	No further relevant information available.

5. FIREFIGHTING MEASURES	
5.1	Extinguishing media
	Suitable extinguishing agents: - Dry extinguishing agent - Alcohol resistant foam - Carbon dioxide - Water spray Unsuitable extinguishing agents: - Direct water jet can spread the fire
5.2	Special hazard arising from the substance or mixture
	Do not allow waste water from firefighting to enter sewers/surface waters/groundwater.
5.3	Advice for fire-fighters
	Avoid inhalation of smoke and fumes. In case of insufficient ventilation, use breathing apparatus. Contaminated extinguishing water must not be allowed to enter the sewage system and must be disposed of in accordance with local official regulations.

6. ACCIDENTAL RELEASE MEASURES	
6.1	Personal precautions, protective equipment and emergency procedures

ALASKO 502536	
6.1.1 For non-emergency personnel:	Wear suitable protective gloves when handling spilled material. Do not smoke. Avoid open flames and other sources of ignition. Avoid contact with skin. Do not inhale vapors. Individual cleaning after possible contact. Ensure adequate ventilation.
6.1.2 For emergency personnel:	Apply the same recommendations as section 6.1.1
6.2 Environmental precautions	
	Do not allow to enter drains/surface waters/groundwater. In case of contamination of water, inform the competent authorities.
6.3 Methods and material for containment and cleaning up	
6.3.1 For containment:	Set up barriers and cover the sewage system to prevent large-scale spread.
6.3.2 For cleaning-up:	Immediately absorb with suitable liquid-binding and non-flammable materials (e.g. sand, silica gel, universal binder). Collect bound material in suitable and sealable containers and dispose of in accordance with official regulations.
6.4 Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7. HANDLING AND STORAGE	
7.1 Precautions for safe handling	
	Avoid contact with skin and eyes. Wear suitable protective gloves and goggles / face shield. Do not smoke. Avoid all sources of ignition. Avoid excessive temperature during processing. Do not ingest or apply directly to skin. Good ventilation of storage and work place.
7.1.1 Protective measures:	Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.
7.1.2 Advice on general occupational hygiene:	Do not eat / drink / smoke at the workplace. Wash hands after use. Immediately remove contaminated clothing and protective equipment and clean before reuse.
7.2 Conditions for safe storage, including any incompatibilities	

ALASKO 502536	
7.2.1 Requirements to be met by store rooms and receptacles:	Store tightly closed and dry in containers that are as full as possible in a well-ventilated area. Keep away from heat sources. Protect from extreme temperatures. Store at room temperature (10 - 30 °C). Protect from exposure to light. Do not reuse empty containers. Storage class according to TRGS 510: 10
7.2.2 Information about storage in one common storage facility:	Do not store together with storage classes 1 / 4.2 / 4.3 / 5 / 6.2 / 7.
7.2.3 Further information about storage conditions:	The product may discolor due to prolonged storage. Crystallization is possible with cool storage. If necessary, warm slightly (40 °C) and mix well before use.
7.3 Specific end use(s)	
Perfuming of consumer products	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
8.1 Control parameters						
Ingredients with limit values that require monitoring at the workplace						
Name	Type	Short-term value		Long-term value		CAS No
		[mg/m3]	[ppm]	[mg/m3]	[ppm]	Country Comment
3-(3-Hydroxypropoxy)propan-1-ol						25265-71-8
MAK		280		140		CH SSc
AGW				100		DE 2(II);DFG, Y, 11
MV		200		100		SI Inhalabilna frakcija, Y
1-Methyl-4-prop-1-en-2-ylcyclohexene						5989-27-5
MAK		80	14	40	7	CH S SSc
AGW				28	5	DE 4(II);DFG, H, Sh, Y
LEP				168	30	ES Sen, vía dérmica
HTP		280	50	140	25	FI A
AG				140	25	NO K, Y
MV		112	20	28	5	SI
2,6-Ditert-butyl-4-methylphenol						128-37-0

ALASKO 502536

VL		2	BE	
MAK	40	10	CH	C1#B SSC
AGW		10	DE	
GV		10	DK	
LEP		10	ES	
VLEP		10	FR	
OEL		2	IE	
VLE		2	PT	

8.2 Exposure controls

8.2.1 Engineering measures

Ensure adequate ventilation, especially in confined areas.

Additional information about design of technical facilities:

No further data, see item 7.

8.2.2 Personal protective equipment

Respiratory protection:	In case of insufficient ventilation use respirator (according to EN 14387 or other governmental standards such as CEN accordingly).
Gloves:	Wear solvent resistant gloves according to EN 374. The permeation time must exceed the contact time.
Eye protection:	Use safety goggles and face shield tested according to EN 166.
Body protection:	Wear work clothes that cover arms and legs.
Hygiene measures:	Avoid contact with skin and eyes. Do not eat/drink/smoke during use. Wash hands after use.

8.2.3 Limitation and supervision of exposure into the environment

Take precautions to prevent the product from entering the sewage system. In case of contamination of water or sewage system, inform the responsible authorities.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State of aggregation:	liquid
Color:	lightyellow

ALASKO 502536	
Odor:	floral - fruity
Melting point/Freezing point:	Not determined
Boiling point/Boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limits:	Not determined
Flash point (°C):	93.0 Method: Pensky-Martens, closed cup
Ignition temperature (°C):	Not determined
Decomposition temperature (°C):	Not determined
pH value:	Non-aqueous product
Kinematic viscosity:	Not determined
Solubility:	Not determined
Partition coefficient n-octanol/water (log value):	Not determined
Vapor pressure:	Not determined
Relative density:	0.9759
Relative vapor density:	Not determined
Particulate properties:	Not determined
9.2 Other information	
Solvent content:	14.8%
VOC:	2.03%

10. STABILITY AND REACTIVITY	
10.1 Reactivity:	No reaction known with water.

ALASKO 502536	
10.2 Chemical Stability:	Good stability at standard temperature.
10.3 Possibility of hazardous reactions:	No decomposition when properly stored and used.
10.4 Conditions to avoid:	Avoid excessive heat above at least 5 °C below flash point for flammable liquids. Do not heat closed containers.
10.5 Incompatible materials:	Do not store together with storage classes 1 / 4.2 / 4.3 / 5 / 6.2 / 7.
10.6 Hazardous decomposition products:	Proper use, contact with water or storage under recommended conditions should not produce hazardous decomposition products.

11. TOXICOLOGICAL INFORMATION	
11.1 Information on hazard classes according to Regulation (EC) No 1272/2008	
Acute toxicity:	The classification criteria are not met.
Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage / irritation:	Causes serious eye irritation.
Respiratory or skin sensitisation:	May cause an allergic skin reaction.
CMR effects:	
Germ cell mutagenicity:	The classification criteria are not met.
Carcinogenicity:	The classification criteria are not met.
Reproductive toxicity:	Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity – single exposure:	The classification criteria are not met.
Specific Target Organ Toxicity – repeated exposure:	The classification criteria are not met.
Aspiration hazard:	The classification criteria are not met.
11.2 Information on other hazards	
Endocrine disrupting properties:	No substances with endocrine-disrupting properties contained according to the criteria from Regulations (EC) No. 1907/2006, (EU) 2017/2100, (EU) 2018/605.

ALASKO 502536

Other information: No data available

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity:** No data available for the mixture.
The product must be labeled according to Regulation (EC) No. 1272/2008 (CLP) in the currently valid version.
- 12.2 Persistence and degradability:** No data available for the mixture.
- 12.3 Bioaccumulative potential:** No data available for the mixture.
- 12.4 Mobility in soil:** No data available for the mixture.
- 12.5 Results of PBT and vPvB assessment:** This mixture does not contain substances classified as PBT or vPvB.
- 12.6 Endocrine disrupting properties:** This mixture does not contain any substances with endocrine-disrupting properties according to the evaluation criteria set out in (EC) No. 1907/2006, (EU) 2017/2100, (EU) 2018/605.
- 12.7 Other adverse effects:** In case of improper handling or disposal, an environmental hazard cannot be excluded.

13. DISPOSAL CONDITIONS

- 13.1 Waste treatment methods:** Do not dispose of residues/waste of the product via sewers/wastewater, but treat according to the instructions mentioned above, see points 6, 7 and 8. Do not reuse empty containers and do not incinerate. Hand over residual/waste product and contaminated packaging to an authorized disposal company. Dispose of in accordance with official regulations.

14. TRANSPORT INFORMATION

14.1 UN number or ID number

ADR: UN 3082
IMDG: UN 3082
IATA: UN 3082

14.2 UN proper shipping name

ALASKO 502536

ADR:	Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)ethanone, Mixture)
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(2,3,8,8-Tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)ethanone, Mixture)
IATA:	Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)ethanone, Mixture)

14.3 Transport hazard classes

ADR:	9
IMDG:	9
IATA:	9

14.4 Packing group

ADR:	III
IMDG:	III
IATA:	III

14.5 Environmental hazards

Marine pollutant:	 
Special marking (ADR):	 
Special marking (IATA):	 
EMS code:	F-A, S-F

14.6 Special precautions for the user

The transport classifications provided herewith are based on the properties of the unpackaged material according to this Safety Data Sheet. Refer to sections 2, 7 and 8.

14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

ALASKO 502536

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 Directive 2012/18/EU (Seveso)

Named hazardous substances - Annex I: None of the substances are included.

Seveso Category: E2 hazardous to the aquatic environment
200 t
500 t

15.1.2 Regulation (EC) No 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization: None of the substances are included.

Substances of very high concern (SVHC): None of the substances are included.

Annex XVII - Restriction on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: None of the substances are included.
Restriction: 3

15.1.3 Water hazard class (Germany)

WGK 2 - clearly hazardous to water

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this mixture.

16. Other information

ALASKO 502536			
16.1	Full text of abbreviated H-phrases	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	
16.2	Full text of abbreviated classifications (GHS)	Acute Tox. 4 inh. - Acute Toxicity, Inhalation Acute Tox. 4 oral - Acute Toxicity, Oral Aquatic Acute 1 - Acute Aquatic Toxicity Aquatic Chronic 1 - Chronic Aquatic Toxicity Aquatic Chronic 2 - Chronic Aquatic Toxicity Aquatic Chronic 3 - Chronic Aquatic Toxicity Asp. Tox. 1 - Aspiration Toxicity Eye Irrit. 2 - Eye irritation Flam. Liq. 3 - Flammable Liquids Repr. 2 - Reproductive toxicity Skin Irrit. 2 - Skin irritation Skin Sens. 1A - Skin Sensitisers	
16.3	Abbreviations and acronyms	ADR European Agreement concerning the International Carriage of Dangerous Goods by Road EINECS European Inventory of Existing Commercial Chemical Substances GHS Globally Harmonized System of Classification and Labelling of Chemicals IATA International Air Transport Association IMDG International Maritime Code for Dangerous Goods MAK Maximale Arbeitsplatzkonzentration REACH Registration, Evaluation, Authorisation and Restriction of Chemical substances, European Community Regulation on chemicals and their safe use (EC 1907/2006) VOC Volatile Organic Compounds (Switzerland)	
16.4	Recommended applications	Concentrated perfumery raw material. Unsuitable for personal use as such.	
16.5	Reason for revision	Change from previous revision: Adaptation of the safety data sheet format	

ALASKO 502536

The recommendations in this safety data sheet reflect the knowledge available to us on the date of going to print. They are intended to give you hints for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and waste disposal. This information cannot be transferred to other products. In those cases where the product mentioned in this safety data sheet is blended, mixed or processed with other materials or processed in any other way, the information contained in this safety data sheet cannot be related to the new material obtained in this way.