

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Sales No. : CMP 30 - Louvre Magic - Givaudan

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfume compound

1.3 Details of the supplier of the safety data sheet

Company : Givaudan (India) Private Limited
Plot No.25/26 and 46, 2nd Cross,
Jigani Industrial Area
BANGALORE 560105
INDIA

Telephone : +918030166300
Telefax : +918030166340
E-mail address : global.sds_info@givaudan.com
Responsible/issuing person

1.4 Emergency telephone number

+6531581198

Please refer to section 16 for a full list of emergency phone numbers.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (Globally Harmonized System)

Flammable liquids, Category 4	H227: Combustible liquid.
Skin corrosion/irritation, Category 2	H315: Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 2	H401: Toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (Globally Harmonized System)

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

Hazard pictograms



Signal word

: Warning

Hazard statements

: H227 Combustible liquid.
H315 + H319 Causes skin irritation and serious eye irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist or vapours.
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P317 If skin irritation or rash occurs: Get medical help.
P337 + P317 If eye irritation persists: Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Collect spillage.
P391
Storage:
P403 Store in a well-ventilated place.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

- 3,7-dimethyl-1,6-octadien-3-yl 115-95-7

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

- acetate (= linalyl acetate)
- linalool 78-70-6
- benzyl salicylate 118-58-1
- 2-hexyl-3-phenyl-2-propenal (trans & cis) 101-86-0

2.3 Other hazards

no data available

SECTION 3. Composition/information on ingredients

Chemical name	CAS-No. EC-No.	Classification (Globally Harmonized System)	Concentration [%]
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	115-95-7 204-116-4	Flam. Liq. 4; H227 Eye Irrit. 2B; H320 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 3; H402	>= 2.5 - < 5
linalool	78-70-6 201-134-4	Flam. Liq. 4; H227 Acute Tox. 5; H303 Eye Irrit. 2A; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 3; H402	>= 2.5 - < 5
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester	24851-98-7 246-495-9	Aquatic Acute 2; H401	>= 2.5 - < 5
benzyl salicylate	118-58-1 204-262-9	Acute Tox. 5; H303 Aquatic Acute 2; H401 Aquatic Chronic 3; H412 Eye Irrit. 2B; H320 Skin Sens. 1B; H317	>= 2.5 - < 5
3-Ethoxy-4-Hydroxybenzaldehyde (= ethyl vanillin)	121-32-4 204-464-7	Acute Tox. 5; H303 Eye Irrit. 2B; H320 Aquatic Acute 3; H402	>= 1 - < 2.5
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0 202-983-3	Acute Tox. 5; H303 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Irrit. 3; H316 Skin Sens. 1B; H317	>= 1 - < 2.5
3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol)	4940-11-8 225-582-5	Acute Tox. 4; H302 Aquatic Acute 2; H401	>= 1 - < 2.5

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

(R)-p-mentha-1,8-diene	5989-27-5 227-813-5	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 1 - < 2.5
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer)	54464-57-2 259-174-3	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 2; H401 Aquatic Chronic 1; H410	>= 1 - < 2.5
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1222-05-5 214-946-9	Skin Irrit. 3; H316 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2.5
3,7-dimethylnona-1,6-dien-3-ol (cis & trans)	10339-55-6 233-732-6	Flam. Liq. 4; H227 Acute Tox. 5; H303 Skin Irrit. 3; H316 Skin Sens. 1B; H317 Eye Irrit. 2A; H319 Aquatic Acute 3; H402	>= 1 - < 2.5
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 405-040-6	Eye Irrit. 2; H319	>= 1 - < 5
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	Flam. Liq. 4; H227 Skin Irrit. 2; H315 Eye Irrit. 2B; H320 Skin Sens. 1B; H317 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	>= 0.25 - < 1
Terpenes and terpenoids of Orange Oil	68647-72-3 232-433-8	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	>= 0.25 - < 1
Cedryl methyl ether	19870-74-7 243-384-7	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 1
cis-3-hexenyl 2-hydroxybenzoate	65405-77-8 265-745-8	Acute Tox. 5; H303 Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0.25 - < 1
3,7-dimethyl-6-octen-1-ol (= citronello)	106-22-9 203-375-0	Acute Tox. 5; H313 Acute Tox. 5; H303 Eye Irrit. 2A; H319 Aquatic Acute 2; H401 Skin Irrit. 2; H315 Skin Sens. 1B; H317	>= 0.25 - < 1
3-(3,4-Methylene dioxyphenyl)-2-methylpropanal	1205-17-0 214-881-6	Acute Tox. 5; H303 Repr. 2; H361 Skin Sens. 1B; H317 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	>= 0.25 - < 1

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	33704-61-9 251-649-3	Acute Tox. 5; H303 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Skin Sens. 1B; H317 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	>= 0.25 - < 1
2H-1-benzopyran-2-one (=coumarin)	91-64-5 202-086-7	Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Acute 3; H402	>= 0.25 - < 1
Oils, Lemon	8008-56-8 284-515-8	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Acute 2; H401 Aquatic Chronic 2; H411	>= 0.25 - < 1
2,6-bis(1,1-dimethylethyl)-4-methylphenol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0	Skin Sens. 1B; H317 Aquatic Acute 2; H401	>= 0.1 - < 0.25

SECTION 4. First aid measures

4.1 Description of first aid measures

- General advice** : Do not leave the victim unattended.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
- If inhaled** : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact** : If on skin, rinse well with water.
If on clothes, remove clothes.
Immediately seek medical attention if chemical entered ear canal.
- In case of eye contact** : Protect unharmed eye.
Remove contact lenses.
Flush eyes with water as a precaution.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed** : Immediately consult Poison Control Center or physician.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : no data available
Risks : Causes skin irritation and serious eye irritation.
May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment :
Treat symptomatically.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media :
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : In the case of vapour formation use a respirator with an approved filter.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
Material can create slippery conditions.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean contaminated floors and objects thoroughly while observing environmental regulations.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

- Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.
Do not spray on a naked flame or any incandescent material.
- Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : No smoking.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Ambient / 10-30°C (50-85°F)
Dry, well ventilated, preferably full, hermetically sealed
- Advice on common storage : Protect against light.
- Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Not applicable

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
2,6-bis(1,1-dimethylethyl)-4-methylphenol	128-37-0	TWA	2 mg/m3	2007-01-01	ACGIH
Further information	: A4: Not classifiable as a human carcinogen				
		TWA	10 mg/m3	2013-10-08	NIOSH REL
		TWA	10 mg/m3	1989-01-19	OSHA P0
		PEL	10 mg/m3	2014-11-26	CAL PEL

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32
Sales & Distribution Information: JI01/FR/IN11/01
Shipping Order Information: 35,037,617/30,952,068

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

8.2.2 Personal protective equipment

Eye/face protection : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.

Hand protection : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time.

Other skin protection : Wear working clothes covering arms and legs. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.

Respiratory protection : Respiratory protection should be worn when workplace

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

In case a risk analysis proved the cartridge respirator as acceptable, use type:
ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).

Thermal hazards : Wear appropriate thermal protective clothing, when necessary.

Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

8.2.3 Environmental exposure controls

General advice : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Form : liquid
Colour : Very slightly yellow to Greenish yellow
Taste : not determined
Odour : Oriental, Floral
Odour Threshold : Not applicable
Flash point : 89 °C Method: Grabner miniflash closed cup
Lower explosion limit : not determined
Upper explosion limit : not determined

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

Flammability	: Not applicable
Oxidizing properties	: no data available
Auto-ignition temperature	: not determined
Decomposition temperature	: no data available
pH	: not determined
Vapour pressure	: 0.0992 hPa at 20 °C Calculated (99.8 %)
Density	: 1,001.19 kg/m ³ at 20 °C
Bulk density	: Not applicable
Water solubility	: not determined
Solubility/qualitative	: practically insoluble
Partition coefficient: n-octanol/water	: Not applicable
Viscosity, kinematic	: no data available
Relative vapour density	: no data available
Evaporation rate	: no data available

SECTION 10. Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

Hazardous decomposition products : no data available
Thermal decomposition : no data available

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

SECTION 11. Toxicological information

Information on toxicological effects

Acute toxicity

Acute oral toxicity : Acute toxicity estimate
Dose: > 5,000 mg/kg
Method: Calculation method

Acute oral toxicity 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	: LD50: 13,934 mg/kg	Species: Rat
linalool	: LD50: 2,790 mg/kg	Species: Rat
Cyclopentaneacetic acid, 3-oxo-2- pentyl-, methyl ester	: LD50: > 5,000 mg/kg	Species: Rat
benzyl salicylate	: LD50: 2,227 mg/kg	Species: Rat
2-hexyl-3-phenyl-2-propenal (trans & cis)	: LD50: 3,100 mg/kg	Species: Rat
3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol)	: LD50: 1,150 mg/kg	Species: Rat
(R)-p-mentha-1,8-diene	: LD50: 5,600 mg/kg	Species: Mouse
2-acetyl-1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetra-methylnaphthalene (main isomer)	: LD50: > 5,000 mg/kg	Species: Rat
tetrahydro-2-isobutyl-4-methylpyran- 4-ol, mixed isomers (cis and trans)	: LD50: > 5,000 mg/kg	Species: Rat
3-methyl-4-(2,6,6-trimethyl-2- cyclohexen-1-yl)-3-buten-2-one	: LD50: > 5,000 mg/kg	Species: Rat
Cedryl methyl ether	: LD50: > 5,000 mg/kg	Species: Rat
3,7-dimethyl-6-octen-1-ol (= citronellol)	: LD50: 3,450 mg/kg	Species: Rat
3-(3,4-Methylene dioxyphenyl)-2- methylpropanal	: LD50: 3,561 mg/kg	Species: Rat
6,7-Dihydro-1,1,2,3,3-pentamethyl- 4(5H)-indanone	: LD50: 2,900 mg/kg	Species: Rat
2H-1-benzopyran-2-one (=coumarin)	: Acute toxicity estimate: 500 mg/kg	Species: Rat
methyl 2,4-dihydroxy-3,6- dimethylbenzoate	: LD50: > 8,000 mg/kg	Species: Rat

Acute inhalation toxicity : No data is available on the product itself.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

Acute dermal toxicity : No data is available on the product itself.

Acute dermal toxicity
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) : LD50: > 5,000 mg/kg Species: Rabbit

Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester : LD50: > 5,000 mg/kg Species: Rabbit

benzyl salicylate : LD50: 14,150 mg/kg Species: Rabbit

3-Ethoxy-4-Hydroxybenzaldehyde (= ethyl vanillin) : LD50: > 7,940 mg/kg Species: Rabbit

(R)-p-mentha-1,8-diene : LD50: > 5,000 mg/kg Species: Rabbit

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer) : LD50: > 5,000 mg/kg Species: Rabbit

3,7-dimethylnona-1,6-dien-3-ol (cis & trans) : LD50: > 5,000 mg/kg Species: Rabbit

3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one : LD50: > 5,000 mg/kg Species: Rabbit

Terpenes and terpenoids of Orange Oil : LD50: > 5,000 mg/kg Species: Rabbit

Cedryl methyl ether : LD50: > 5,000 mg/kg Species: Rabbit

cis-3-hexenyl 2-hydroxybenzoate : LD50: > 5,000 mg/kg Species: Rabbit

3,7-dimethyl-6-octen-1-ol (= citronellol) : LD50: 2,650 mg/kg Species: Rabbit

Oils, Lemon : LD50: > 5,000 mg/kg Species: Rabbit

2,6-bis(1,1-dimethylethyl)-4-methylphenol : LD50: > 5,000 mg/kg Species: Rabbit

methyl 2,4-dihydroxy-3,6-dimethylbenzoate : LD50: > 5,000 mg/kg Species: Rabbit

Acute toxicity (other routes of administration) : No data is available on the product itself.

Skin corrosion/irritation

Skin irritation : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32
Sales & Distribution Information: JI01/FR/IN11/01
Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

Eye irritation : Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

Sensitisation : No data is available on the product itself.

Germ cell mutagenicity

Germ cell mutagenicity : No data is available on the product itself.

Carcinogenicity

Carcinogenicity : No data is available on the product itself.

Reproductive toxicity

Not classified due to lack of data.

Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic Toxicant - Single exposure : No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic Toxicant - Repeated exposure : No data is available on the product itself.

Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

Phototoxicity

Phototoxicity : No data is available on the product itself.

Further information : no data available

SECTION 12. Ecological information

Ecotoxicity

Components:

2-hexyl-3-phenyl-2-propenal (trans & cis):

M-Factor (Acute aquatic toxicity) : 1

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Cedryl methyl ether:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

cis-3-hexenyl 2-hydroxybenzoate:

M-Factor (Acute aquatic toxicity) : 1

2,6-bis(1,1-dimethylethyl)-4-methylphenol:

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Product : Send to a licensed waste management company.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

Dispose of in accordance with local, state and federal regulations.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Do not expose containers to high temperatures such as in hot work processes.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14. Transport information

14.1 UN number

ADR : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(EXTRACTS, LIQUID)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(EXTRACTS, LIQUID)
IATA : Environmentally hazardous substance, liquid, n.o.s.
(Extracts, liquid)

14.3 Transport hazard class(es)

ADR : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR : III
IMDG : III
IATA : III

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

ADR

Tunnel restriction code : (-)

IMDG

IMDG Code Segregation : None
Group

14.7 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no additional relevant information

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
Europe	All Europe	+44 1235 239670	APAC	All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 89 220 61012		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	0120 015 230
	Italy	800 699 792		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347
	Turkey	0800 621 2139 +44 1235 239670		Thailand	001 800 120 666 751
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182		Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 8231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech republic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671	New Zealand	+64 9 929 1483	
	Bahrain and Middle East	+44 1235 239671	China	+86 532 8388 9090	

Administrative information:
Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32
Sales & Distribution Information: JI01/FR/IN11/01
Shipping Order Information: 35,037,617/30,952,068

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
NOAM	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891
	USA and Canada	+1 215 207 0061		Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337
	Global	+44 1865 407333		Argentina	+54 11 5984 3690

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AICC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GB EH40 - Great Britain, Environmental Hygiene; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; NOM-010-STPS - Official Mexican Standard, Ministry of Labor and Social Welfare; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32
Sales & Distribution Information: JI01/FR/IN11/01
Shipping Order Information: 35,037,617/30,952,068

SAFETY DATA SHEET

according to the Globally Harmonized System

Givaudan

CMP 30 - Louvre Magic - Givaudan

Version 1.0

Revision Date 04 SEP 2025

Print Date 04 SEP 2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Administrative information:

Report Information: SDS_IN/EN/GHS_SDS_UN_CNTRY/32

Sales & Distribution Information: JI01/FR/IN11/01

Shipping Order Information: 35,037,617/30,952,068