

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025

01 Identification

1.1 Product identifier

- Trade name:
LAVENDER 40/42 ARTESSENCE - BIOLANDES

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Application of the substance / the preparation
Perfume ingredient
Only for industrial use

1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:
EDEN BOTANICALS
3820 Cypress Dr. #12
Petaluma, CA 94954
USA
Phone : +1-707-509-0041
email : fds@biolandes.com

- 1.4 Emergency telephone number:
FR-ORFILA (INRS):+33(0)1 45 42 59 59

02 Hazard(s) identification

2.1 Classification of the substance or mixture



GHS05

Eye damage 1 - H318 Causes serious eye damage.



GHS07

Skin irritation 2 - H315 Causes skin irritation.
Sensitization - skin 1 - H317 May cause an allergic skin reaction.

GHS08

Specific target organ toxicity (single exposure) 2 - H371 May cause damage to organs.
Flammable liquids 4 - H227 Combustible liquid. Aquatic Acute 3 - H402 Harmful to aquatic life.
Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- GHS label elements
- Hazard pictograms



GHS05 GHS07 GHS08

- Signal word
Danger
- Hazard statements H227 Combustible liquid. H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H371 May cause damage to organs.
H412 Harmful to aquatic life with long lasting effects.

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025**PRODUCT : LAVENDER 40/42 ARTESSENCE - BIOLANDES**

(Contd. of page 1)

- Precautionary statements

P210 Keep away from flames and hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray P302+P352 If on skin: Wash with plenty of water.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

03 Composition/information on ingredients

3.2 Chemical characterization: Mixtures

- Description:
Mixture

• Dangerous components:

CAS Number		%
115-95-7	LINALYL ACETATE	20,001-50,00
	EC Number: 204-116-4	
78-70-6	LINALOOL	20,001-50,00
	EC Number: 201-134-4	
76-22-2	bomane-2-one (camphor)	1,001- 5,000
	EC Number: 200-945-0	
470-82-6	EUCALYPTOL	1,001- 5,000
	EC Number: 207-431-5	
562-74-3	p-Menth-1-en-4-ol	1,001- 5,000
	EC Number: 209-235-5	
87-44-5	caryophyllene alim	1,001- 5,000
	EC Number: 201-746-1	
507-70-0	borneol	1,001- 5,000
	EC Number: 208-080-0	
5989-54-8	L-limonene	0,101-1,000
	EC Number: 227-815-6	
87-44-5	caryophyllene	0,101-1,000
	EC Number: 201-746-1	
13877-91-3	3,7-dimethylocta-1,3,6-triene (ocimene beta)	0,101-1,000
	EC Number: 237-641-2	
5989-27-5	LIMONENE	0,101-1,000
	EC Number: 227-813-5	
105-87-3	GERANYL ACETATE	0,101-1,000
	EC Number: 203-341-5	
80-56-8	pin-2(3)-ene (alpha pinene)	0,101-1,000
	EC Number: 201-291-9	
127-91-3	pin-2(10)-ene (pinene beta)	0,101-1,000
	EC Number: 204-872-5	
106-24-1	GERANIOL	0,101-1,000
	EC Number: 203-377-1	
10191-41-0	Tocopherol alpha (E307)	0,010-0,100
	EC Number: 233-466-0	

USA

(Contd. on page 3)

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025**PRODUCT : LAVENDER 40/42 ARTESENCE - BIOLANDES***(Contd. of page 2)***04 First-aid measures**

- General information:
Seek immediate medical advice.
- After inhalation:
Supply fresh air and to be sure call for a doctor.
- After skin contact:
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
Seek immediate medical advice.

05 Fire-fighting measures

- Suitable extinguishing agents:
CO₂, sand, extinguishing powder. Do not use water.
Use fire fighting measures that suit the environment.
 - For safety reasons unsuitable extinguishing agents:
Water with full jet
- 5.2 Special hazards arising from the substance or mixture
Formation of toxic gases is possible during heating or in case of fire.
- Protective equipment:
Mount respiratory protective device.
Do not inhale explosion gases or combustion gases.
 - Additional information
Cool endangered receptacles with water spray.

06 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
Keep away from ignition sources
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

07 Handling and storage

- Handling:
7.1 Precautions for safe handling
Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Handle with care. Avoid jolting, friction and impact.
 - Information about protection against explosions and fires:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- Storage:
- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
 - Further information about storage conditions:

PRODUCT : LAVENDER 40/42 ARTESENCE - BIOLANDES

Keep receptacle tightly sealed.

*(Contd. of page 3)**(Contd. on page 7)*
USA

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025

Protect from heat and direct sunlight.
Store receptade in a well ventilated area.

- 7.3 Specific end use(s)
No further relevant information available.

08 Exposure controls/personal protection

- Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- CAS No. Designation of material % Type Value Unit
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information:
The lists that were valid during the creation were used as basis.
- Personal protective equipment:
- General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the skin.
Avoid contact with the eyes.
- Breathing equipment:
Use suitable respiratory protective device in case of insufficient ventilation.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:
Safety glasses

09 Physical and chemical properties

General Information	
Appearance:	
Form:	fluid
Color:	light yellow lavender
Odor:	Not determined.
Odor threshold:	Not determined.
Change in condition	
Boiling point/Boiling range:	Undetermined.
Flash point:	71,0 °C NFT 60-103 CC
Flammability (solid, gaseous):	Undetermined.
Auto igniting:	Not determined.
Danger of explosion:	Undetermined.
Vapor pressure:	Not determined.
Density:	Not determined.

PRODUCT : LAVENDER 40/42 ARTESSENCE - BIOLANDES

(Contd. of page 4)

Relative density	0,8800 - 0,8950 D20/4
-------------------------	-----------------------

(Contd. on page 7)
USA

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025

Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:
Undetermined.
- Incompatible materials:
No further relevant information available.
- Hazardous decomposition products:
Undetermined.

11 Toxicological information

- Acute toxicity:
- LD/LC50 values that are relevant for classification:

ISO LD/LC **78-70-6 LINALOOL**

Oral, LD50: 2790 mg/kg (rat)
Dermal, LD50: 5610 mg/kg (Rabbit)

76-22-2 CAMPHOR

Oral, LD50: >5000 mg/kg (rat) (Opdyke 1978)
Dermal, LD50: >1000 mg/kg (mouse) (NTP 1998)

470-82-6 EUCALYPTOL

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

87-44-5 BETA-CARYOPHYLLENE

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

5989-54-8 LIMONENE

Oral, LD50: 4400 mg/kg (rat) (Tsuji and al., 1975)
Oral, LD50: 5600 mg/kg (mouse) (Tsuji and al., 1975)
Dermal, LD50: >5000 mg/kg (Rabbit) (INRS 227)

87-44-5 BETA-CARYOPHYLLENE

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

5989-27-5 LIMONENE

Oral, LD50: 4400 mg/kg (rat)

105-87-3 GERANYL ACETATE

Oral, LD50: >4000 mg/kg (rat) (NTP 1987)

- Primary irritant effect:
- on the skin:
Irritant to skin and mucous membranes.
Causes skin irritation.
- on the eye:
Strong irritant with the danger of severe eye injury.
Causes serious eye damage.
- Sensitization:
Sensitization possible through skin contact.
- Subacute to chronic toxicity:
- 115-95-7 LINALYL ACETATE**
Oral, NOAEL: 250 mg/kg (rat) (90days, RIFM 1980) **78-70-6 LINALOOL**
- Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)
- 76-22-2 CAMPHOR**
Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)
- 87-44-5 BETA-CARYOPHYLLENE**
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025**PRODUCT : LAVENDER 40/42 ARTESSENCE - BIOLANDES**

(Contd. of page 5) •

Additional toxicological information:

- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Corrosive
- Irritant
- Carcinogenic if inhaled.
- Specific target organ toxicity - single exposure
May cause damage to organs.
- Specific target organ toxicity - repeated exposure
Not determined.

12 Ecological information

- Aquatic toxicity:
 - 115-95-7 LINALYL ACETATE ErC50(0-72h): 9,6 mg/l (algae) (RIFM 2015)
 - ErC50(0-48h): 15 mg/l (daphnia) (RIFM 2015)
 - 96h-LC50: 11 mg/l (fish) (RIFM 1998)
 - 78-70-6 LINALOOL
 - LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)
 - ErC50(0-72h): 156,7 mg/l (algae)
 - ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)
 - 76-22-2 CAMPHOR CE50/48h: 26,82 mg/l (daphnia)
 - ErC50(0-72h): 23,8 mg/l (algae)
 - 5989-27-5 LIMONENE
 - LD50: 0,71 mg/l (fish) (OECD 203)
- Persistence and degradability
No further relevant information available.
- Behavior in environmental systems:
Not determined.
- Bioaccumulative potential
No further relevant information available.
- Ecotoxicological effects:
Not determined.
- Additional ecological information:
- General notes:
Harmful to aquatic organisms
The product contains materials that are harmful to the environment.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
Must be specially treated adhering to official regulations.
- Uncleaned packagings:
- Recommendation:
Disposal must be made according to official regulations.

14 Transport information

- UN-Number
- . DOT Not classified
- . ADR Not classified
- . IMDG Not classified
- . IATA Not classified
- UN proper shipping name
- . DOT Not classified
- . ADR Not classified

(Contd. on page 7)
USA

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025

PRODUCT : LAVENDER 40/42 ARTESSENCE - BIOLANDES	
	<i>(Contd. of page 6)</i>
. IMDG	Not classified
. IATA	Not classified
• Transport hazard class(es) .	
DOT	
. Class	Not classified
. ADR	
. Class	Not classified
. IMDG	
. Class	Not classified
. IATA	
. Class	Not classified
• Packing group . DOT	Not classified
. ADR	Not classified
. IMDG	Not classified
. IATA	Not classified
• Environmental hazards: Not applicable.	
• Special precautions for user Not applicable.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture Non-mandatory

16 Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof.

The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with US regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

- H226 Flammable liquid and vapor.
- H227 Combustible liquid.
- H228 Flammable solid.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H371 May cause damage to organs.
- H400 Very toxic to aquatic life.
- H401 Toxic to aquatic life.
- H402 Harmful to aquatic life.

(Contd. on page 8)
USA

H410	Very toxic to aquatic life with long lasting
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

www.Bulkaroma.com

^BIOLANDES

Safety Data Sheet
according to 29 CFR 1910.1200Reviewed on: 12.17.2025
Printing date: 12.17.2025

1758504

Reviewed on: 12.17.2025
Printing date: 12.17.2025**PRODUCT : LAVENDER 40/42 ARTESSENCE - BIOLANDES***(Contd. of page 7)*

- Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Date of preparation / last revision
17.12.2025

- Abbreviations and acronyms:

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

- Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

- * Data compared to the previous version altered.

(Contd. on page 8)
USA