



Parfumsplus

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : OUD SILK WOOD - PARFUMSPLUS DIRECT

Product code : FO 79711

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated perfume composition free from alcohol.

For industrial and professional use only.

Use: Perfumes, cosmetics and detergents.

1.3. Details of the supplier of the safety data sheet

Registered company name : PARFUMS PLUS FRANCE

Address : Parc d'activité de la Sarée - Route de Gourdon 06620 Le Bar-sur-Loup FRANCE

Telephone : 04 93 36 51 94 Fax : 04 93 36 61 93

info@parfumsplus.com

http://www.parfumsplus.com

mailto:legislation@parfumsplus.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07



GHS09

Signal Word :

WARNING

Product identifiers :

| | |
|--------------|--|
| EC 201-134-4 | LINALOOL |
| EC 215-635-0 | METHYL IONONE (MIXTURE OF ISOMERS) |
| EC 259-174-3 | 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE |
| EC 203-375-0 | DL-CITRONELLOL |
| EC 204-116-4 | LINALYL ACETATE |
| EC 203-341-5 | GERANYL ACETATE |
| 603-241-00-5 | GERANIOL |
| EC 202-086-7 | COUMARIN |

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | |
|--------------|------------------------|
| EC 203-212-3 | CINNAMYL ALCOHOL |
| 601-096-00-2 | (R)-P-MENTHA-1,8-DIENE |
| 606-155-00-6 | CINNAMALDEHYDE |
| EC 202-590-7 | ISOEUGENOL |

Hazard statements :

| | |
|------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements - Prevention :

| | |
|------|--|
| P261 | Avoid breathing dust/fume/gas/vapours. |
| P264 | Wash hands thoroughly after handling. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

Precautionary statements - Response :

| | |
|--------------------|--|
| P302 + P352 | IF ON SKIN: Wash with plenty of water and soap. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337 + P313 | If eye irritation persists: Get medical advice/attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |

Precautionary statements - Disposal :

| | |
|------|--|
| P501 | Dispose of the contents/container in a hazardous or special waste collection centre in accordance with local, regional, national and/or international regulations. |
|------|--|

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

The mixture does not contain synthetic polymer microparticles meeting the definition of microplastics within the meaning of Regulation (EC) No 1907/2006 (REACH).

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures****Composition :**

| Identification | Classification (EC) 1272/2008 | Note | % |
|---|--|------|-----------------|
| CAS: 121-33-5 EC: 204-465-2 REACH: 01-2119516040-60-XXXX VANILLIN | GHS07 Wng Eye Irrit. 2, H319 | | 5 \leq x% < 8 |
| CAS: 4940-11-8 EC: 225-582-5 REACH: 01-2120758795-36-XXXX ETHYL MALTOL | GHS07 Wng Acute Tox. 4, H302 | | 5 \leq x% < 8 |
| CAS: 78-70-6 EC: 201-134-4 REACH: 01-2119474016-42-0000 LINALOOL | GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 | | 5 \leq x% < 8 |
| CAS: 1335-46-2 | GHS07, GHS09 | | 5 \leq x% < 8 |

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | | | |
|--|---|-----|----------------|
| EC: 215-635-0 REACH: 01-2119471851-35-000X METHYL IONONE (MIXTURE OF ISOMERS) | Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 | | |
| CAS: 54464-57-2 EC: 259-174-3 REACH: 01-2119489989-04-XXXX 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE | GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 | | 5 <= x% < 8 |
| CAS: 1222-05-5 EC: 214-946-9 REACH: 01-2119488227-29-000X 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN | GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 | | 5 <= x% < 8 |
| CAS: 60-12-8 EC: 200-456-2 REACH: 01-2119963921-31-XXXX PHENETHYL ALCOHOL | GHS07 Wng Acute Tox. 4, H302 Eye Irrit. 2, H319 | | 5 <= x% < 8 |
| CAS: 55066-48-3 EC: 259-461-3 REACH: 01-2119969446-23-XXXX 3-METHYL-5-PHENYLPENTANOL | GHS07 Wng Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 | | 2.5 <= x % < 5 |
| CAS: 106-22-9 EC: 203-375-0 REACH: 01-2119453995-23-XXXX DL-CITRONELLOL | GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 | | 2.5 <= x % < 5 |
| CAS: 84-66-2 EC: 201-550-6 REACH: 01-2119486682-27-XXXX DIETHYL PHTHALATE | | [i] | 2.5 <= x % < 5 |
| CAS: 115-95-7 EC: 204-116-4 REACH: 01-2119454789-19-0001 LINALYL ACETATE | GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 | | 2.5 <= x % < 5 |
| CAS: 105-87-3 EC: 203-341-5 REACH: 01-2119973480-35-XXXX GERANYL ACETATE | GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 | | 1 <= x % < 2.5 |
| CAS: 103-05-9 EC: 203-074-4 REACH: 01-2120758978-28-XXXX 2-METHYL-4-PHENYL-2-BUTANOL | GHS07 Wng Eye Irrit. 2, H319 Aquatic Chronic 3, H412 | | 1 <= x % < 2.5 |
| INDEX: 603-241-00-5 CAS: 106-24-1 EC: 203-377-1 GERANIOL | GHS07 Wng Skin Sens. 1, H317 | | 1 <= x % < 2.5 |
| CAS: 91-64-5 EC: 202-086-7 REACH: 01-2119949300-45-XXXX COUMARIN | GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 | | 0.1 <= x % < 1 |

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | | | |
|--|---|------------------|----------------|
| CAS: 128-37-0 EC: 204-881-4 REACH: 01-2119565113-46-XXX BUTYLATED HYDROXYTOLUENE | GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 | [i] | 0.1 <= x % < 1 |
| CAS: 16409-43-1 EC: 240-457-5 REACH: 01-2119976300-42-0000 TETRAHYDRO-4-METHYL-2-(2-METHYLPROPEN-1-YL)PYRAN | GHS07, GHS08 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 | [ii] | 0.1 <= x % < 1 |
| CAS: 104-54-1 EC: 203-212-3 REACH: 01-2119934496-29-XXXX CINNAMYL ALCOHOL | GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 | | 0.1 <= x % < 1 |
| INDEX: 601-096-00-2 CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47-00XX (R)-P-MENTHA-1,8-DIENE | GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1 | | 0.1 <= x % < 1 |
| INDEX: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43-XXXX ETHANOL | GHS02 Dgr Flam. Liq. 2, H225 | [i] | 0 <= x % < 0.1 |
| CAS: 469-61-4 EC: 207-418-4 REACH: Pre-registered ALPHA-CEDRENE | GHS08, GHS09, GHS07 Dgr Asp. Tox. 1, H304 Skin Irrit. 2, H315 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 10 | | 0 <= x % < 0.1 |
| INDEX: 606-155-00-6 CAS: 104-55-2 EC: 203-213-9 REACH: 01-2119935242-45-XXXX CINNAMALDEHYDE | GHS07 Wng Skin Sens. 1A, H317 | | 0 <= x % < 0.1 |
| CAS: 97-54-1 EC: 202-590-7 REACH: 01-2120223682-61-XXXX ISOEUGENOL | GHS07 Wng Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 | | 0 <= x % < 0.1 |
| INDEX: 601-026-00-0 CAS: 100-42-5 EC: 202-851-5 REACH: 01-2119457861-32-XXXX STYRENE | GHS02, GHS08, GHS07 Dgr Flam. Liq. 3, H226 Repr. 2, H361d Acute Tox. 4, H332 STOT RE 1, H372 Skin Irrit. 2, H315 | D [i] [ii] | 0 <= x % < 0.1 |

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | | | |
|--|--|-------------|----------------|
| | Eye Irrit. 2, H319 | | |
| CAS: 101-84-8 EC: 202-981-2 REACH: 01-2119472545-33-00XX DIPHENYL ETHER | GHS07, GHS08, GHS09 Dgr Eye Irrit. 2, H319 Repr. 1B, H360Fd Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1 | [i] [ii] | 0 <= x % < 0.1 |
| INDEX: 601-021-00-3 CAS: 108-88-3 EC: 203-625-9 REACH: 01-2119471310-51-XXXX TOLUENE | GHS02, GHS08, GHS07 Dgr Flam. Liq. 2, H225 Repr. 2, H361d Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 | [i] [ii] | 0 <= x % < 0.1 |
| CAS: 123-92-2 EC: 204-662-3 REACH: 01-2119548408-32-XXXX ISOAMYL ACETATE | GHS02 Wng Flam. Liq. 3, H226 | [i] | 0 <= x % < 0.1 |
| CAS: 123-51-3 EC: 204-633-5 ISOAMYL ALCOHOL | GHS02, GHS05, GHS07, GHS09 Dgr Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 2, H411 | [i] | 0 <= x % < 0.1 |
| CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43-XXXX ETHYL ALCOHOL | GHS02, GHS07 Dgr Eye Irrit. 2, H319 Flam. Liq. 2, H225 | [i] | 0 <= x % < 0.1 |

Specific concentration limits:

| Identification | Specific concentration limits | ATE |
|---|-------------------------------|--|
| CAS: 121-33-5 EC: 204-465-2 REACH: 01-2119516040-60-XXXX VANILLIN | | dermal: ATE = 2600 mg/kg BW oral: ATE = 3300 mg/kg BW |
| CAS: 4940-11-8 EC: 225-582-5 REACH: 01-2120758795-36-XXXX ETHYL MALTOL | | oral: ATE = 1200 mg/kg BW |
| CAS: 78-70-6 EC: 201-134-4 REACH: 01-2119474016-42-0000 LINALOOL | | oral: ATE = 2790 mg/kg BW |
| CAS: 60-12-8 EC: 200-456-2 REACH: 01-2119963921-31-XXXX PHENETHYL ALCOHOL | | oral: ATE = 1610 mg/kg BW |
| CAS: 55066-48-3 EC: 259-461-3 REACH: 01-2119969446-23-XXXX 3-METHYL-5-PHENYLPENTANOL | | dermal: ATE = 3100 mg/kg BW oral: ATE = 1850 mg/kg BW |
| CAS: 106-22-9 EC: 203-375-0 REACH: 01-2119453995-23-XXXX | | dermal: ATE = 2650 mg/kg BW oral: ATE = 3450 mg/kg BW |

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | | |
|--|-------------------------------|--|
| DL-CITRONELLOL | | |
| CAS: 103-05-9 EC: 203-074-4 REACH: 01-2120758978-28-XXXX 2-METHYL-4-PHENYL-2-BUTANOL | | dermal: ATE = 3260 mg/kg BW |
| CAS: 16409-43-1 EC: 240-457-5 REACH: 01-2119976300-42-0000 TETRAHYDRO-4-METHYL-2-(2-METHYLPROPEN-1-YL)PYRAN | | oral: ATE = 4300 mg/kg BW |
| CAS: 104-54-1 EC: 203-212-3 REACH: 01-2119934496-29-XXXX CINNAMYL ALCOHOL | | oral: ATE = 2000 mg/kg BW |
| INDEX: 606-155-00-6 CAS: 104-55-2 EC: 203-213-9 REACH: 01-2119935242-45-XXXX CINNAMALDEHYDE | Skin Sens. 1A: H317 C>= 0.01% | |
| CAS: 97-54-1 EC: 202-590-7 REACH: 01-2120223682-61-XXXX ISOEUGENOL | Skin Sens. 1A: H317 C>= 0.01% | dermal: ATE = 1912 mg/kg BW oral: ATE = 542 mg/kg BW |
| CAS: 101-84-8 EC: 202-981-2 REACH: 01-2119472545-33-00XX DIPHENYL ETHER | | oral: ATE = 2450 mg/kg BW |
| CAS: 123-51-3 EC: 204-633-5 ISOAMYL ALCOHOL | | dermal: ATE = 3216 mg/kg BW oral: ATE = 2650 mg/kg BW |

Information on ingredients :

(Full text of H-phrases: see section 16)

- [i] Substance for which maximum workplace exposure limits are available.
- [ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.
NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.
If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.
Watch out for any remaining product between skin and clothing, watches, shoes, etc.
In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.
Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.



Parfumsplus

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limits :**

- European Union :

| CAS | VME-mg/ m3 : | VME-ppm : | VLE-mg/m3 : | VLE-ppm : | Notes : |
|--------------------------|-----------------|-----------|-------------|-----------|---------|
| 101-84-8 DIPHENYL ETHER | 7 | 1 | 14 | 2 | - |
| 108-88-3 TOLUENE | 192 | 50 | 384 | 100 | - |
| 123-92-2 ISOAMYL ACETATE | 270 | 50 | 540 | 100 | - |
| 123-51-3 ISOAMYL ALCOHOL | 18 | 5 | 37 | 10 | - |

- UK :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|--------------------------------------|------------------------|-----------------------|-----------|--------------|------------|
| 84-66-2 DIETHYL PHTHALATE | 5 mg/m3 | 10 mg/m3 | | | |
| 128-37-0 BUTYLATED HYDROXYTOLUENE | 10 mg/m3 | | | | |
| 64-17-5 ETHANOL | 1000 ppm 1920 mg/m3 | | | | |
| 100-42-5 STYRENE | 100 ppm 430 mg/m3 | 250 ppm 1080 mg/m3 | | | |
| 101-84-8 DIPHENYL ETHER | 1 ppm 7 mg/ m3 | 2 ppm 14 mg/ m3 | | | |
| 108-88-3 TOLUENE | 50 ppm 191 mg/m3 | 100 ppm 384 mg/m3 | | | |
| 123-51-3 ISOAMYL ALCOHOL | 100 ppm 366 mg/m3 | 125 ppm 458 mg/m3 | | | |
| 64-17-5 ETHYL ALCOHOL | 1000 ppm 1920 mg/m3 | | | | |

8.2. Exposure controls**Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****Physical state**

Physical state : Fluid liquid.

Colour

Color: YELLOW

Odour

Odour threshold : Not stated.

Odour: ORIENTAL ROSE WOODY

Melting point

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not relevant.

Flammability

Combustible.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

Flash point

Flash Point Interval : 60°C < FP <= 93°C
Method for determining the flash point:

ISO 2719 : 2016 (Pensky-Martens method in closed cup)

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range : Not relevant.

pH

pH (aqueous solution) : Not stated.

pH : Not relevant.

Kinematic viscosity

Viscosity : Not stated.

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

Viscosity: $v < 7 \text{ mm}^2/\text{s}$ (40°C)**Solubility**

Water solubility : Insoluble.

Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Below 110 kPa (1.10 bar).

Density and/or relative density

Density : 0.9962/1.0162@20°C

Method for determining the density :

OECD Guideline 109

Relative vapour density

Vapour density : Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

Index of refraction : 1.4857/1.4957@20°C

Method of determining the refractive index :

NF ISO 280:1999 (T75-112)

% VOC : 0

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****11.1.1. Substances****a) Acute toxicity :**

2-METHYL-4-PHENYL-2-BUTANOL (CAS: 103-05-9)

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | |
|--|-------------------------------|
| Dermal route : | LD50 = 3260 mg/kg body weight |
| ISOAMYL ALCOHOL (CAS: 123-51-3) | |
| Oral route : | LD50 = 2650 mg/kg body weight |
| Dermal route : | LD50 = 3216 mg/kg body weight |
| DIPHENYL ETHER (CAS: 101-84-8) | |
| Oral route : | LD50 = 2450 mg/kg body weight |
| ISOEUGENOL (CAS: 97-54-1) | |
| Oral route : | LD50 = 542 mg/kg body weight |
| Dermal route : | LD50 = 1912 mg/kg body weight |
| CINNAMYL ALCOHOL (CAS: 104-54-1) | |
| Oral route : | LD50 = 2000 mg/kg body weight |
| TETRAHYDRO-4-METHYL-2-(2-METHYLPROPEN-1-YL)PYRAN (CAS: 16409-43-1) | |
| Oral route : | LD50 = 4300 mg/kg body weight |
| DL-CITRONELLOL (CAS: 106-22-9) | |
| Oral route : | LD50 = 3450 mg/kg body weight |
| Dermal route : | LD50 = 2650 mg/kg body weight |
| 3-METHYL-5-PHENYLPENTANOL (CAS: 55066-48-3) | |
| Oral route : | LD50 = 1850 mg/kg body weight |
| Dermal route : | LD50 = 3100 mg/kg body weight |
| PHENETHYL ALCOHOL (CAS: 60-12-8) | |
| Oral route : | LD50 = 1610 mg/kg body weight |
| LINALOOL (CAS: 78-70-6) | |
| Oral route : | LD50 = 2790 mg/kg body weight |
| ETHYL MALTOL (CAS: 4940-11-8) | |
| Oral route : | LD50 = 1200 mg/kg body weight |
| VANILLIN (CAS: 121-33-5) | |
| Oral route : | LD50 = 3300 mg/kg body weight |
| Dermal route : | LD50 = 2600 mg/kg body weight |

b) Skin corrosion/skin irritation :

No data available.

c) Serious damage to eyes/eye irritation :

No data available.

d) Respiratory or skin sensitisation :

No data available.

e) Germ cell mutagenicity :

No data available.

f) Carcinogenicity :

No data available.

g) Reproductive toxicant :

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2. Mixture**11.1.2.1 Information on hazard classes**



Parfumsplus

a) Acute toxicity :

Oral route : No data available.

Dermal route : No data available.

Inhalation route (Dusts/mist) : No data available.

b) Skin corrosion/skin irritation :

May cause reversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

c) Serious damage to eyes/eye irritation :

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

d) Respiratory or skin sensitisation :

May cause an allergic reaction by skin contact.

e) Germ cell mutagenicity :

No data available.

f) Carcinogenicity :

No data available.

g) Reproductive toxicant :

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2.2 Other information

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

CAS 108-88-3 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 97-54-1 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 93-15-2 : IARC Group 2A : The agent is probably carcinogenic to humans.

CAS 100-42-5 : IARC Group 2A : The agent is probably carcinogenic to humans.

CAS 97-54-1 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 128-37-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 91-64-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability



Parfumsplus

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2025 - IMDG 2024 [42-24] - ICAO/IATA 2026 [67]).

14.1. UN number or ID number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

14.3. Transport hazard class(es)



- Classification :

9

14.4. Packing group

III

14.5. Environmental hazards

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus



- Environmentally hazardous material :

14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|---|---------|----------|----------|----------|-----------------|---------------------------------|-----------------------------|-------------|--------|
| | 9 | M6 | III | 9 | 90 | 5 L | 274 335 375 601 650 | E1 | 3 | - |
| | Not subject to this regulation if Q <= 5 1/5 kg (ADR 3.3.1 - DS 375) | | | | | | | | | |
| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | Stowage Handling | Segregation | |
| | 9 | - | III | 5 L | F-A. S-F | 274 335 375 969 | E1 | Category A | - | |
| | Not subject to this regulation if Q <= 5 1/5 kg (IMDG 3.3.1 - 2.10.2.7) | | | | | | | | | |
| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ | |
| | 9 | - | III | 964 | 450 L | 964 | 450 L | A97 A158 A197 A215 | E1 | |
| | 9 | - | III | Y964 | 30 kg G | - | - | A97 A158 A197 A215 | E1 | |
| | Not subject to this regulation if Q <= 5 1/5 kg (IATA 4.4.4) | | | | | | | | | |

OUD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

| | | | | | | | | | |
|--|---------------|--|--|--|--|--|--|--|--|
| | - DS A197) | | | | | | | | |
|--|---------------|--|--|--|--|--|--|--|--|

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15 : REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2025/1222. (ATP 23)

Container information:

No data available.

Particular provisions :

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture contains at least one restricted substance under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): <https://echa.europa.eu/substances-restricted-under-reach>. Please refer to Section 3 to identify the substance involved.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: <https://echa.europa.eu/fr/authorisation-list>.

Ozone-depleting substances (Regulation (EC) No 2024/590).

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

Swiss ordinance on the incentive tax on volatile organic compounds :

- 99-87-6 p-cymene
- 111-27-3 hexan-1-ol
- 100-51-6 benzyl alcohol (phenylmethanol)
- 64-17-5 ethanol, other than distilled liquids for drinking or consumption (Art. 31 Alcohol Act)
- 5989-54-8 l-limonene ((S)-p-mentha-1,8-dien)
- 5989-27-5 d-limonene ((R)-p-mentha-1,8-dien)
- 138-86-3 dl-limonene ((RS)-p-mentha-1,8-dien)
- 100-51-6 benzyl alcohol (phenylmethanol)
- 100-51-6 benzyl alcohol (phenylmethanol)
- 64-17-5 ethanol, other than distilled liquids for drinking or consumption (Art. 31 Alcohol Act)
- 5989-27-5 d-limonene ((R)-p-mentha-1,8-dien)
- 99-87-6 p-cymene
- 108-88-3 toluene

15.2. Chemical safety assessment

No data available.



Parfumsplus

SECTION 16 : OTHER INFORMATION**Wording of the phrases mentioned in section 3 :**

| | |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H360Fd | May damage fertility. Suspected of damaging the unborn child. |
| H361 | Suspected of damaging fertility or the unborn child . |
| H361d | Suspected of damaging the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure . |
| H373 | May cause damage to organs through prolonged or repeated exposure . |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.
LQ : Limited Quantity
EQ : Excepted Quantity
EmS : Emergency Schedule
E : Packing Instruction
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
ATE : Acute Toxicity Estimate
BW : Body Weight
CMR: Carcinogenic, mutagenic or reprotoxic.
STEL : Short-term exposure limit
TWA : Time-Weighted Average
VLE : Threshold Limit Value (exposure)
VME : Average Exposure Value.
ADR : Agreement concerning the international carriage of dangerous goods by road.
GHS07 : Exclamation mark
GHS09 : Environment
IATA : International Air Transport Association.
IMDG : International Maritime Dangerous Goods.
ICAO : International Civil Aviation Organisation
PBT: Persistent, bioaccumulable and toxic.
PIC: Prior Informed Consent.
POP: Persistent Organic Pollutant.
RID : Regulations concerning the International carriage of Dangerous goods by rail.
SVHC : Substances of very high concern.
WGK : Water Hazard Class.

OULD SILK WOOD - PARFUMSPLUS DIRECT



Parfumsplus

The information contained in this safety data sheet is based on our current knowledge at the time of publication and is provided in good faith. It does not constitute any guarantee of specific product properties nor establish any contractual relationship. The user remains solely responsible for safe and compliant use of the product in accordance with current regulations.

WWW.BULKAROMA.COM